CATEGORY ID#	Product Trade Name/ Manufacturer Contact Reference	Product Description and Manufacturer Suggested Use	Vendor Certifies Compliance With:	Revision Date
C. Barr	iers & Roadside Strct.			
02-106	Nex Mail Box System	Product is a single, multiple mail box system	UDOT 2002 Standard	2/1/2003
	S-Square Tube Products Darren Hesse @ 303 286 7051, CO Local Rep: None		Drawing GW 8	
04-065	Self- Indicating(Squirter)Tension Applied Bolting Technology Products Chris Curven @ 8005521999, VT Local Rep: None	Product is a direct tension indicatior for structural steel	AASHTO F959 and ASTM F959	
C. BAR	RIERS, ROADSIDE STR.			
06-012	TD7000	Product is a 41" stackable channelizer	ASTM-4956.01, Federal- NCHRP350 Letter, WZ-118	
	Three D Traffic Works		Self Cert., MUTCD, UDOT-	
	Frank Dvoracek @ 8778439757, CA Local Rep:		01554, Drawing TC 1A.	
D. Bitu	m. Rejuvs. & Treatments			
00-135	CRF	Product is a restorative seal and scrub seal for asphalt pavement.	UDOT 2002 Standard Specification 02745 Part 2.2	3/1/2002
	Golden Bear Oil Specialties Ron Pruett Jim Brownridge @ 602 867 227 Local Rep: HCl, Inc 801 627 4540		E (Table 7)	

801 627 4540

CATEGORY ID#	Product Trade Name/ Manufacturer Contact Reference	Product Description and Manufacturer Suggested Use	Vendor Certifies Compliance With:	Revision Date
F. Culve	erts & Drainage Strct.			
00-106	ADS Corrugated HDPE Pipe, Type C Advanced Drainage Systems, Inc. David R. Winters @ 801 947 5878, UT Local Rep: 801 943 8058	Product is an N12 corrugated smooth lined high density polyethylene (HDPE) pipe. Note: Use only 300 mm to 900 mm diameter. Vendor should supply exact section properties (wall thickness, how far apart the corrugations are between peaks, etc.) to construction site upon delivery of pipe.	UDOT 2002 Standard Specification 02610 Table 1, for pipe culvert type 1.3, pipe culvert class C (AASTHO M 294M).	4/1/2001
01-056	Ultra-liner PVC Alloy Pipe Liner Ultra Liner Inc. Gary Lienberger @ 626 974 5882, CA Local Rep: Val Kotter & Sons 435 734 9598	Product is an uncured PVC liner designed to retrofit existing storm drains. Thread the material from manhole to manhole, seal the ends, apply heat and pressure to cure.	UDOT 2002 Standard Specification 02610 Table 1, for pipe culvert type 2.2, pipe culvert class A, B, C (AASTHO M 294M) after installation	7/1/2001
01-060	Manhole Extension Rings The Turner Company Frank Turner @ 919 782 8114, NC Local Rep: Curt Bianchi 970 259 2131	Product is a manhole ring extension made of fiber glass and reinforced polypropylene. It meets the compressive strength requirements of precast concrete rings.	UDOT 2002 Standard Drawings GF 1, and GF 2	7/1/2002
01-067	Nextep Stepping Irons	Steel reinforced copolymer polypropylene plastic manhole steps.	UDOT 2002 Standard Drawing GF 6	3/1/2002

Nextep-Miyama, Inc.

Local Rep: None

Melissa Baysinger @ 805 981 7046, CA

CATEGORY ID#	Product Trade Name/ Manufacturer Contact Reference	Product Description and Manufacturer Suggested Use	Vendor Certifies Compliance With:	Revision Date
F. Culv 01-085	Precision Manhole Cover System PCSI Chris Sondrup @ 801 785 8088, UT Local Rep: none	Adjustable cast iron manhole cover.	UDOT 2002 Standard Drawings GF 1, GF 2 and DB 3A	3/1/2002
05-012	Screw Canal Slide Gate Mechanical Associates Jamie Howell @ 5595925493, CA Local Rep: Contech-Sandra Bennett 8013633873	Product is a stainless steel circular or slide gate	UDOT Standard Drawing CB5	
94-116	Hancor Hi-Q Sure-Lok 10.8 Hancor, Inc. No Name Given @ 800 892 3351, OH Local Rep: Hancor, Inc. 801 785 7862	Product is a high density polyethylene (HDPE) smooth lined pipe joined with a bell-and-spigot intended for non-pressure storm and sanitary sewers. The bell ends are an integral part of the pipe which has 4 cleats built-in to provide a positive locking sy	UDOT 2002 Standard Specification 02610 Table 1 for pipe culvert type 1.3 (AASHTO M 294)	10/1/2000
96-156	Hel-Cor Aluminized Steel Pipe Contech Construction Products, Inc. Richard Larson @ 801 363 3873, UT	Product manufactured from steel coils dipped in aluminum, fabricated with lock or welded seams. offers the corrosion resistance of aluminum with the strength and economy of steel pipe.	_{lt} AASHTO M 274 and M 36	10/1/2000

Local Rep: None

CATEGORY ID#	Product Trade Name/ Manufacturer Contact Reference	Product Description and Manufacturer Suggested Use	Vendor Certifies Compliance With:	Revision Date
	erts & Drainage Strct.	Draductia a DVC (nahwinyi ahlarida) profila wali		
98-060	A-2000 Corrugated PVC Pipe Contech Construction Products, Inc. Doug Bower @ 217 529 5461, IL Local Rep: Contech 801 363 3873	Product is a PVC (polyvinyl chloride) profile wall pipe with a smooth interior and corrugated exterior for culverts, storm and sanitary sewers and drainage.	UDOT 2002 Standard Specification 02610 Table 1 for pipe culvert type 2.3 (AASHTO M 304)	10/1/2000
99-076	Quail Pipe	Product is a corrugated polythylene drainage pipe designed for gravity drainage applications.	UDOT 2002 Standard Specification 02610 for pipe	10/1/2000
	Quail Piping Products Inc. Tom Ellis @ 520 692 8400, AZ Local Rep: Maskell Robbins, Inc. 800 648 4373		culvert type 1.3 (AASTHO M 294)	
H. Joint	Sealers & Fillers			
00-039	CS500 EP Polyurea Joint Sealant Hilti, Inc. William Gould @ 719 282 8719, CO Local Rep: Hilti, Inc. 801 487 1502	Product is a rapid cure polyurea (elastomeric) concrete control and expansion joint sealant.	UDOT 2002 Standard Specification 03152 Part 2.6 Table 6	10/1/2000
00-050	Sikaflex - 1a Sika Corporation Tech Service @ 800 933 7452, NJ	Product is a one component polyurethane based, elastomeric structural joint sealant.	UDOT 2002 Standard Specification 03152 Part 2.6 Table 6	10/1/2000

Local Rep: Smalley/ICS 801 282 5440

CATEGORY ID#	Product Trade Name/ Manufacturer Contact Reference	Product Description and Manufacturer Suggested Use	Vendor Certifies Compliance With:	Revision Date
H. Join	t Sealers & Fillers			
00-056	Dynamix 6229	Product is a two component, rapid setting polyurethane joint sealant for concrete.	UDOT 2002 Standard Specification 03152 Part 2.6	10/1/2000
	Polymer Engineering Corporation Steven M. DeJesus @ 805 483 2043, CA Local Rep: Manware 801 972 1212		Table 6	
00-066	Reflex Rubber Expansion Joint The J D Russell Company Matt Close @ 520 742 6194, AZ Local Rep: For Shor Company 801 487 1656	Product is a crumb rubber filled expansion joint material for concrete.	UDOT 2002 Standard Specification 03152 Part 2.3	10/1/2000
00-133	300 Silicone Pavement Sealant Pecora Corporation Roy E. Cannon, Jr. @ 215 799 7520, PA Local Rep: Keith Waters 913 317 9373	Product is a silicone joint sealer for concrete pavement joints	UDOT 2002 Standard Specification 03152	4/1/2001
01-070	902 RCS Joint Sealant Dow Corning Corporation Jeff Randle @ 866 768 8768, WA Local Rep: Smalley & Company	Product is a silicone joint sealer for concrete pavement joints	UDOT 2002 Standard Specification 03152	8/1/1980

801 975 0672

CATEGORY ID#	Product Trade Name/ Manufacturer Contact Reference	Product Description and Manufacturer Suggested Use	Vendor Certifies Compliance With:	Revision Date
H. Joint	t Sealers & Fillers			
01-071	R888 Silicone Joint Sealant	Product is a silicone joint sealer for concrete pavement joints	UDOT 2002 Standard Specification 03152	8/1/2001
	Dow Corning Corporation Jeff Randle @ 866 768 8768, WY Local Rep: Smalley & Company 801 975 0672			
01-099	Pecora 301 Silicone Pavement Sealant Pecora Corporation Roy D. Cannon @ 215 799 7520, PA Local Rep: Procoat Systems 913 317 9373	Product is a silicone joint sealer for concrete pavement joints	Awaiting certificate of compliance for meeting UDOT, 2002 Standard Specification 03152. Certificate received June 30, 2002	1/1/2003
03-007	Flexseal 310 Polymers Advanced Technology, LLC Guillaume Pasquier @ 630 2238 8450, IL Local Rep: Roadseal Technoloty, Inc. 520 749 2000	Product is a silicone joint sealant for airports, and concrete highways. Certification received 03-30-03	UDOT 2002 Standard	4/1/2003
04-082	Concrete Form Release Citgo Petroleum Kelly Collins @ 8015481960, UT Local Rep: None	Product is a concrete form release product	None	

CATEGORY ID#	Product Trade Name/ Manufacturer Contact Reference	Product Description and Manufacturer Suggested Use	Vendor Certifies Compliance With:	Revision Date
H. Join 98-015	t Sealers & Fillers Wabo Two Part Silicone Sealant Watson Bowman Acme Corporation Richard Baker @ 716 691 8162, NY Local Rep: None	Product is a two component, cold applied, self leveling, rapid curing silicone joint sealer.	UDOT 2002 Standard Specification 03152 Part 2.4 including Tables 3 & 4.	10/1/2000
99-022	Sikaflex 2c NS/SL Sika Corporation Mark Tharnish/ Scott Isaac @ 801 282 544 Local Rep: ICS/Smalley & Co. 801 486 5311	Product is a two component, polyurethane based, elastomeric joint sealer with non-sag and self-leveling properties. Inteded for use in all properly designed working joints with a min. depth of 1/4 in.	UDOT 2002 Standard Specification 03152 Part 2.6 Table 6	10/1/2000
99-169	Elastoflex 61 Maxwell Products, Inc. Larry F. Allen @ 801 972 2090, UT Local Rep: none	Product is a hot pour self leveling, polymer modified asphalt base joint sealant for use in sealing cracks and joints in asphalt pavements.	UDOT 2002 Standard Specification 02745 Table 11	10/1/2000
I. Mulc	h & Erosion Control Mtls.			
06-001	Canfor Panel & Fibre Division Becky Gauthier @ 2538840747, BC Local Rep: Fiber Marketing International	Product is a bonded fiber matrix used in long term erosion control, up to one year	Federal- 713.05 (h) UDOT- 732.2© , 02376 1.2.	

4252779966

CA	ID#	<u>N</u>
l.	Mulch	,
06-	-004	

Product Trade Name/ Manufacturer Contact Reference Product Description and Manufacturer
Suggested Use

Vendor Certifies Compliance With:

Revision Date

I. Mulch & Erosion Control Mtls.

06-004 EcoFibre

Product is a 100% wood fiber mulch for hydraulic planting

ASTM-WK7251, Wk2652, Federal- 713.05(C), UDOT-732.2(b), 02911

Canfor Panel & Fibre Division

Becky Gauthier @ 2538840747, BC

Local Rep: Fiber Marketing International 4252779966

06-010 FMI Power Tack

Product is a cross link tackifier

Federal- 713.12

Apex Resources, Inc.

Becky Gauthier @ 2538840747, KY

Local Rep: Fiber Marketing International 4252779966

06-011 **PT-Tac**

Product is a plantago tackifier

Federal- FP-96, Section 713.12

Apex Resources, Inc.

Becky Gauthier @ 2538840747, KY

Local Rep: Fiber Marketing International 4252779966

K.1.a (AE) -- General

92-165 Fritz Pak Air Plus

This product is an air entraining agent for use with PCC concrete. It may be used as needed with the prior approval of a UDOT Materials Engineer.

UDOT Standard Spec. section 505, "Portland Cement Concrete. Also, AASHTO M154. 6/1/1997

Fritz Chemical Co.

No Name Given @ No Phone Given,

Local Rep:

CATEGORY ID#	Product Trade Name/ Manufacturer Contact Reference	Product Description and Manufacturer Suggested Use	Vendor Certifies Compliance With:	Revision Date
K.1.a	(AE) General			
93-029	Air Plus/Super Air Plus: Vinsol Resin Holnam Chemical Company No Name Given @ 214 285 5471, TX Local Rep: Holnam Inc. 801 363 6755	Product is an air entraining agent which will increase air content by 0.5% to 1.5% per truck, uniformly.	AASHTO M154 or ASTM C260-95	9/1/1996
93-047	Super Air Plus Fritz Chemical Co. No Name Given @ No Phone Given, Local Rep:	Air entraining admixture for fresh concrete. May be used with prior approval from Materials Engineer.	UDOT Standard Specification section 505, "Portland Cement Conrete". Also, AASHTO M154.	6/1/1997
K.1.a P	CC Admixtures: Air Entra	ainment - General		
00-054	Boral Air 405 Boral Material Technologies Inc. Melissa Garcia @ 210 349 4069, TX Local Rep: Doug Johnson 801 947 1562	Product is an air entraining agent for use in portland cement concrete.	UDOT 2002 Standard Specification 03055 Part 2.7 (AASHTO M 154)	10/1/2000
03-066	Darex AEA W. R. Grace Denise White @ 617 498 4555, ME Local Rep: W. R. Grace	Product is an air entraining agent for wet concrete to improve durability.	UDOT 2002 Standard Specification 03055, Part 2.7 (AASHTO M 154)	

801 791 0279

CATEGORY ID#

05-060

Product Trade Name/ Manufacturer Contact Reference Product Description and Manufacturer
Suggested Use

Vendor Certifies Compliance
With:

Revision Date

K.1.a PCC Admixtures: Air Entrainment - General

03-067 Darex II AEA

Product is and air entraining agent for wet concrete that increases the durabaility of concrete.

UDOT Standard Specification 02752, Part 3

(AASHTO 154)

W. R. Grace

Denise White @ 617 498 4555, MA

Local Rep: W. R. Grace 801 791 0279

05-016 **Daravair AT 30**

Product is an air entraining agent for wet concrete

AASHTO M154 and ASTM C 260 and UDOT Standard Specifications, Section

W. R. Grace

Denise White @ 6174984555, MA
Local Rep: W. R. Grace/Craig Nelson
8017910279

MB-AE-90

Product is and air entraining agent

MIS4, C260

02752, Part 3

Degussa Admixtures, Inc.

Garry Culton @ 2168397072, OH

Local Rep: Tom MCNamee 8015562819

99-142 Fritz-Pak Super Air Plus

Product is a dry powdered air entrainment admixture for portland cement concrete, packaged in water soluble bags ready to use.

UDOT 2002 Standard Specification 03055 Part 2.7 (AASHTO M 154) 10/1/2000

Fritz-Pak Corporation

Gabriel Ojeda @ 214 221 9494, TX

Local Rep: None

Published by: UDOT Research Division 4501 South 2700 West, Salt Lake City, UT 84114-8410 Log on to www.udot.utah.gov/ to view and download this listing from the internet

10

'Accepted' Products Listing (APL) Publication date: May 2006

CATEGORY	Product Trade Name/ Manufacturer Contact Reference	Product Description and Manufacturer Suggested Use	Vendor Certifies Compliance With:	Revision Date
K.1.b I 92-014	PCC Admixtures: Air Entrai Micro-Air Master Builders, Inc. Troy Schlagbaum @ 800 628 9990, OH Local Rep: Master Builders, Inc. 800 401 4308	nment - Pavement This product is an air entraining admixture for portland cement concrete.	UDOT 2002 Standard Specification 03055 Part 2.7 (AASHTO M 154)	10/1/2000
99-146	Fritz-Pak Air Plus Fritz-Pak Corporation Gabriel Ojeda @ 214 221 9494, TX Local Rep: None	Product is a dry powdered air entrainment admixture for portland cement concrete, packaged in water soluble bags ready to use.	UDOT 2002 Standard Specification 03055 Part 2.7 (AASHTO M 154)	10/1/2000
K.2 Ch	nemical Admixtures			
93-028	Fritz-Pak Supercizer 1,5 and 6 Holnam/Fritz Chemical Co. No Name Given @ 214 285 5471, TX Local Rep: Holnam Chemical Co. 801 363 6755	These products are variations of "superplasticizers". Formulated to reduce water requirements up to 25%, increase compressive strengths, reduce permeability and increase durablility. Compatible with other admixtures.	Product may be used if called out in Special Provision as designed by a UDOT Materials Engineer. Technical product information available from	3/1/1996

K.2.a PCC Admixtures: Water Reducing

00-020 FR-2 Concrete Admixture

Product is a water reducing admixture for

concrete.

Fritz-Pak Corporation

Gabriel M. Ojeda @ 214 221 9494, TX

Local Rep: Concrete Solutions Inc. 801 266 5699

UDOT 2002 Standard Specification 03055 Part 2.7 (AASHTO M 194/ASTM C 494) 10/1/2000

CATEGORY ID#	Product Trade Name/ Manufacturer Contact Reference
K.2.a P (CC Admixtures: Water Fritz-Pak FR-3
	Fritz-Pak Corporation Gabriel M. Ojeda @ 214 221 9494, TX Local Rep: Concrete Solutions Inc. 801 266 5699
01-068	WRDA 27

Product Description and Manufacturer Suggested Use

Vendor Certifies Compliance With:

Revision Date

C Admixtures: Water Reducing

Product is a dry powdered water reducing admixture, packaged in a ready-to-use water soluble bag.

UDOT 2002 Standard Specification 03055 Part 2.7 (AASHTO M 194/ASTM C 494)

10/1/2000

W. R. Grace Denise White @ 617 498 4555, MA

Local Rep: Grace Sales 800 901 3083 Product is a water reducing admixture for concrete in an aqueous solution of modified glucose polymer containing a catalyst which promotes more complete hydration of the portland cement.

UDOT 2002 Standard Specification 03055 Part 2.7 (AASHTO M 194/ASTM C 494 Type A)

8/1/2001

Daratard 17 03-063

> W. R. Grace Denise White @ 617 498 4555, MA

Local Rep: W. R. Grace 801 791 0279 Product is used wherever a delay in setting time is required to insure sufficient delivery, placement or compaction.

UDOT 2002 Standard Specification 03055 Part 2.7 (AASHTO M 194/ASTM C 494)

PolyHeed 900 04-009

Product is a Type A water-reducing admixture for concrete.

UDOT Standard Specification, Section 03055, Part 2.6

Master Builders, Inc.

Frances McNeal-Page @ 9722228325, TX

Local Rep: Tim Bytheway 8004516383

CATEGORY
ID#

05-065

Product Trade Name/ Manufacturer Contact Reference Product Description and Manufacturer
Suggested Use

Vendor Certifies Compliance
With:

Revision Date

K.2.a PCC	Admixtures:	Water	Reducing
-----------	--------------------	-------	----------

05-005 **Zyla 610**

Product is a high range water reducing admixture and is "acceptable"

AASHTO M194 Type A, ASTM C494, Type A

W. R. Grace

Denise White @ 6174984555, MA
Local Rep: W. R. Grace/Craig Nelson
8017910279

05-061 PolyHeed R997

Product is a mid-range water reducer for wet concrete and enhances workability

M194 Type A and F and ASTM C494

Degussa Admixtures, Inc.

Garry Culton @ 2168397072, UT

<u>Local Rep:</u> Tom McNamee
8015562819

Sika ViscoCrete 2100

Product is a high range water reducer that enhances workability and slump and gets early strengths

M-194 Types A and F, ASTM C-494 Types A and F, UDOT CSI 2002 standard specification, sect. 03055 subsection 2.6 admixtures, paragraph R-Water

Ondrej Masek @ 2019338800, NJ Local Rep: Steve Calhoun

ocal Rep: Steve Calhoun 7196418533

05-068 Sika ViscoCrete 6100

Sika Corportation

Product is a high range water reducer that enhances workability and slump and gets early strengths

M-194, Types A & F.
ASTM- C-494, Types A & F,
UDOT- CSI 2002, Standard
Specifications, Section
03055, subsection 2.6
Admixtures, paragraph B-

Sika Corporation

Ondrej Masek @ 2019338800, NJ

Local Rep: Steve Calhoun 7196418533

CATEGORY
ID#

Product Trade Name/ Manufacturer Contact Reference Product Description and Manufacturer Suggested Use

Vendor Certifies Compliance With:

Revision Date

K.2.a PCC Admixtures: Water Reducing

99-141

Fritz-Pak Corporation

Gabriel Ojeda @ 214 221 9494, TX

Local Rep: None

Fritz-Pak Standard Delay Set Product is a dry powdered mid range water reducer admixture, packaged in a ready-to-use water soluble bag. It is formulated to extend the setting time of concrete. Note: use of this product requires approval by trial batch

UDOT 2002 Standard Specification 03055 Part 2.7 (AASHTO M 194/ASTM C 494 Type D)

10/1/2000

Fritz-Pak FR-1 99-145

Fritz-Pak Corporation

Gabriel Ojeda @ 214 221 9494, TX

Local Rep: None

Product is a dry powdered water reducing admixture with a set retarder, packaged in a readyto-use water soluble bag. Note: use of this product requires approval by trial batch.

UDOT 2002 Standard Specification 03055 Part 2.7 (AASHTO M 194/ASTM C 494 Type D)

10/1/2000

K.2.b PCC Admixtures: Water Reducing - Hi Range

Glenium 3030 NS Water 02-061

Reducer

Master Builders, Inc.

Frances McNeal-Page @ 216 839 7134, O

Local Rep: Master Builders, Inc. 800 451 6383

Product is a high range water reducer that improves durability and compressive strength of concrete

UDOT 2002 Standard Specification 03055, Part 2.7 (AASHTO M 194/ASTM C 494 Type F)

1/1/2003

Glenium 3200 HES 02-062

Frances McNeal-Page @ 216 839 7134, O

Local Rep: Master Builders, Inc. 800 451 6383

Master Builders, Inc.

Product is a high range water reducer that improves the durability and compressive strength of concrete

UDOT 2002 Standard Specification 03055, Part 2.7 (AASHTO M 194/ASTM C 494 Type F)

1/1/2003

Published by: UDOT Research Division 4501 South 2700 West, Salt Lake City, UT 84114-8410 Log on to www.udot.utah.gov/ to view and download this listing from the internet

14

'Accepted' Products Listing (APL) Publication date: May 2006

CATEGORY ID#	<u>M</u> a
K.2.b P	Α
	R W De Lo
03-042	A

Product Trade Name/ Manufacturer Contact Reference Product Description and Manufacturer
Suggested Use

Vendor Certifies Compliance
With:

Revision Date

K.2.b PCC Admixtures: Water Reducing - Hi Range

ADVA 140 Hi-Range Water Reducer

W. R. Grace Denise White @ 617 498 4555, MA

Local Rep: W. R. Grace 801 791 0279

Product is a high range water reducer used in a variety of flat work concrete by increasing strength and producing high slump

UDOT CSI 2002, Standard Specifications, Section 03055, Part 2.7 all 6/1/2003

03-042 **ADVA Cast 540**

W. R. Grace
Denise White @ 617 498 4555, MA

Local Rep: W. R. Grace 801 791 0279

Product enhances wet concrete by eliminating segregation and reduces blocking and enables self placement(consolidating)

UDOT CSI 2002, Standard Specifications, Section 2.7, A, B,C,D 6/1/2003

03-074 ADVA 170 Water Reducer

W. R. Grace
Denise White @ 6174984555, MA

Local Rep: Craig Nelson 8017910279 Product is a high range water reducer used to reduce the water/cement ratio and yet retain workability.

UDOT 2002 Standard Specification 03055 Part 2.7 (AASHTO M 194/ASTM C 494)

04-010 **PolyHeed 1025**

Master Builders, Inc. Frances McNeal-Page @ 9722228325, TX

Local Rep: Tim Bytheway 8004516383

Product is a Type F or A water-reducing admixture.

UDOT Standard Specification, Section 03055, Part 2.6

CATEGORY
ID#

05-190

Product Trade Name/ Manufacturer Contact Reference Product Description and Manufacturer
Suggested Use

Vendor Certifies Compliance
With:

Revision Date

K.2.b PCC Admixtures: Water Reducing - Hi Range

04-080 Glenium 3400NV

Product is a high range water reducer for concrete that allows for better self consolidation of wet concrete.

UDOT Standard Specifications, Section 3055, Part 2.7

Degussa Admixtures Inc.

Gary Culton @ 2168397072, OH

Local Rep: Tom McNamee 8019429022

05-066 Sika ViscoCrete 4100

Sika Corporation
Ondrej Masek @ 2019338800, NJ

Local Rep: Steve Calhoun 7196418533

Product is a high range water reducer that enhances workability and slump and gets early

strengths

M-194 types A & F, ASTM C-494 Types A & F, UDOT-CSI 2002 Standard specifications, section 03055, subsection 2.6

admixtures paragraph R

PS 1466 High Range Water

Reducer

Degussa Admixtures, Inc.

Garry Culton @ 2168397072, OH

Local Rep: Tom McNamee 8015562819

Product is an admixture, high range water reducer for wet concrete that adds strength and durability along with increased workability

UDOT Standard Specification 03055, Part 2.7 (AASHTO M 194, Type A & F)

97-103 ADVA Cast

W. R. Grace

Denise White @ 617 876 1400, ME

Local Rep: W. R. Grace & Company 303 296 9033

Product is a high range water reducing admixture. It is a low viscosity liquid which has been formulated by the manufacturer for use as received. Note: use of this product requires approval by trial batch.

UDOT 2002 Standard Specification 03055, Part 2.7 (AASHTO M 194/ASTM C 494 Type F) 10/1/2000

Published by: UDOT Research Division 4501 South 2700 West, Salt Lake City, UT 84114-8410 Log on to www.udot.utah.gov/ to view and download this listing from the internet

16

CATEGORY
ID#

Product Trade Name/ Manufacturer Contact Reference Product Description and Manufacturer
Suggested Use

Vendor Certifies Compliance
With:

Revision Date

K.2.b PCC Admixtures: Water Reducing - Hi Range

97-259 Polyheed

Master Builders, Inc.
Tony Schlagbaum @ 800 628 9990, OH

Local Rep: Tim Bytheway 801 963 5716

Product is a water reducing admixture formulated to produce concrete in the slump range of 150 to 200 mm. Note: use of this product requires approval by trial batch

UDOT 2002 Standard Specification 03055, Part 2.7 (AASHTO M 194/ASTM C 494 Type A & F) 10/1/2000

97-265 **Pozzolith 440-N**

Master Builders, Inc.
Tony Schlagbaum @ 800 628 9990, OH

Local Rep: Tim Bytheway 801 963 5716

Product is a high range water reducing admixture to produce flowable concrete with the workability necessary to facilitate placement. Note: use of this product requires approval by trial batch.

UDOT 2002 Standard Specification 03055, Part 2.7 (AASHTO M 194/ASTM C 494 Type A, F & G) 10/1/2000

99-090 **ADVA 100**

W. R. Grace denise White @ 6174984555, MA

Local Rep: Craig Nelson 801 901 3083 Product is a high range water reducing admixture. It is a liquid which has been formulated by the manufacturer for use as received. Note: use of this product requires approval by trial batch.

UDOT 2002 Standard Specification 03055, Part 2.7 (AASHTO M 194/ASTM C 494 Type F)

10/1/2000

99-143 Fritz-Pak Supercizer-1

Fritz-Pak Corporation Gabriel Ojeda @ 214 221 9494, TX

Local Rep: None

Product is a slump enhancer, packaged in a readyto-use, water soluble bag. Also used as a high range water reducer. Note: use of this product requires approval by trial batch.

UDOT 2002 Standard Specification 03055, Part 2.7 (AASHTO M 194/ASTM C 494 Type F) 10/1/2000

CATEGORY	Product Trade Name/ Manufacturer Contact Reference	Product Description and Manufacturer Suggested Use	Vendor Certifies Compliance With:	Revision Date
K.2.b F 99-144	PCC Admixtures: Water R Fritz-Pak Supercizer-5 Fritz-Pak Corporation Gabriel Ojeda @ 214 221 9494, TX Local Rep: None	educing - Hi Range Product is dry powdered high performance superplasticizer, packaged in a ready-to-use water soluble bag. Also used as a high range water reducer. Note: use of this product requires approval by trial batch.	UDOT 2002 Standard Specification 03055, Part 2.7 (AASHTO M 194/ASTM C 494 Type F)	10/1/2000
99-147	Fritz-Pak Supercizer-7 Fritz-Pak Corporation Gabriel Ojeda @ 214 221 9494, TX Local Rep: None	Product is a powdered high range water reducer with high early strength, packaged in a ready-to-use water soluble bag. Note: use of this product requires approval by trial batch.	UDOT 2002 Standard Specification 03055, Part 2.7 (AASHTO M 194/ASTM C 494 Type G)	10/1/2000
K.3 PC 00-025	CC Admixtures: Chemical Pozzolith NC 534 Master Builders, Inc. Francis McNeil @ 216 831 5500, OH Local Rep: Master Builders, Inc. 801 201 7864	Product is a ready-to-use, non-chloride liquid concrete setting accelerator.	UDOT 2002 Standard Specification 03055, Part 2.7 (AASHTO M 194/ASTM C 494 Type C)	10/1/2000
00-053	Boral AcN200	Product is a non-chloride accelerator for use in	UDOT 2002 Standard	6/1/2000

cold weather to reduce concrete set time and

increase the rate of early strength development

Boral Material Technologies Inc.

Local Rep: Doug Johnson

Melissa Garcia @ 210 349 4069, TX

801 947 1562

Specification 03055, Part 2.7

(AASHTO M 194/ASTM C

494 Type C & E)

CATEGORY ID#	Product Trade Name/ Manufacturer Contact Reference	Product Description and Manufacturer Suggested Use	Vendor Certifies Compliance With:	Revision Date
K.3 PC	C Admixtures: Chemical			
03-056	Euclid Chemical Company No Name Given @ 216 531 9222, OH Local Rep: Cencotech Inc. 801 561 9600	Product is an evaporation retardant for wet concrete only	UDOT 2002 Standard Specification 03055, Part 2.7 (AASHTO M 194/ASTM C 494 Type B)	6/1/2003
05-029	Pozzutec 20+ Degussa Admixtures, Inc.(Master Builde Garry Coulton @ 2168397072, OH Local Rep: Tom McNamee 8015562819	Product is a concrete mid range water reducer	AASHTO M194, Type C & E, ASTM C494 Type C & E and UDOT Standard Specifications, Section 03055, Part 2.7	
97-258	Pozzutec 20 Master Builders, Inc. Tony Schlagbaum @ 800 628 9990, OH Local Rep: Tim Bytheway 801 597 5210	Product is a ready-to-use non-chloride accelerator for concrete that allows for cold weather work.	UDOT 2002 Standard Specification 03055, Part 2.7 (AASHTO M 194/ASTM C 494 Type C & E)	10/1/2000
98-114	Daraset 200 W. R. Grace Denise White @ 6174984555, MA Local Rep: David Brodhacker	Product is a non-corrosive, non-chloride admixture for concrete. It accelerates cement hydration resulting in shortened setting times and increased early compressive strengths.	UDOT 2002 Standard Specification 03055, Part 2.7 (AASHTO M 194/ASTM C 494 Type C)	10/1/2000

303 296 9033

CATEGORY	Product Trade Name/ Manufacturer Contact Reference	Product Description and Manufacturer Suggested Use	Vendor Certifies Compliance With:	Revision Date
K.3.b I	PCC Water Reducer - Mid R	Range		
93-045	Super 5 & 6 Water Reducer Fritz Chemical Co. No Name Given @ No Phone Given, Local Rep:	This product is a water reducer additive to fresh concrete. May be used with approval of Materials Engineer.	UDOT CSI, Standard Specification 03055	10/1/2000
K.4 Ot	her			
00-023	Slick-Pak II Pump Aid	Product is a concrete pumping aid	Performance	3/1/2000
	Fritz-Pak Corporation Gabriel M. Ojeda @ 214 221 9494, TX Local Rep: Concrete Solutions Inc. 801 266 5699			
04-043	Micron#3	Product is a type F flyash used in concrete	UDOT Standard	
	Boral Material Technologies Kevin Copeland @ 2103494069, TX Local Rep: None	Specifications, Section 03055, Part 2.8		

93-023

Moxie 1800 Admix

Local Rep: same as above

Moxie International Corporation

William Emmons, P.E. @ 916 338 3393, C

Product is a "water reducer" which is added at the

permits finishing very soon after placement and a

batch plant. Claimed "little or no bleed water

crack free surface when cured."

10/1/2000

Product may be used if

Provision as designed by a

UDOT Materials Engineer.

information available from

called out in Special

Technical product

CATEGORY ID#	Product Trade Name/ Manufacturer Contact Reference	Product Description and Manufacturer Suggested Use	Vendor Certifies Compliance With:	Revision Date
L. PCC	CURING COMPOUNDS			
05-078	Bondaflex-Sil 728 SL	Product is a single component, self leveling silicone joint sealant	ASTM C-920	
	May National Associates, Inc. Gene Silvey @ 3602253983, WA Local Rep: Ron Saunders 8012542955			
05-079	Bondaflex-Sil 728 N5	Product is a single component silicone joint sealer	ASTM C-920	
	May National Associates, Inc. Gene Silvey @ 3602253983, WA Local Rep: Ron Saunders 8012542955			
L.1 PC	C Curing Compound - Str	ct/Arch		
01-016	Hydro Cure 309	Product recommended as a curing agent for use on interior or exterior, vertical or horizontal, above	UDOT 2002 Standard 7/ Specification 03390 Part 2.1	/1/2002
	Unitex Chemicals	or below grade concrete surfaces.	(AASHTO M 148, Type 1 D,	
	Jerry Byrne @ 816 231 7700, MO Local Rep: Intermountain Concrete Specialties 801 486 5311		Classes A & B)	

1300 Clear 01-018

Product is a water emulsion, wax base cure for interior and exterior, horizontal and vertical concrete surfaces.

W. R. Meadows, Inc.

Scott Davis @ 602 932 9383, AZ Local Rep: Intermountain Concrete Specialties 801 486 5311

UDOT 2002 Standard Specification 03390 Part 2.1 (AASHTO M 148, Type 1 D,

Class A)

7/1/2002

CATEGOR ID#	Y Product Trade Name/ Manufacturer Contact Reference	Product Description and Manufacturer Suggested Use	Vendor Certifies Compliance With:
L.1 PC	CC Curing Compound - Str	ct/Arch	
01-023	Tri-Seal TK Products Bill John/ Mike Brivna @ 952 938 7223, M Local Rep: Intermountain Concrete Specialties 801 486 5311	Product is a 100% water based, high solids, premiere acrylic polymer membrane forming, curing, sealing and hardening compound for use on new or existing concrete.	UDOT 2002 Standard Specification 03390 Part 2.1 (AASHTO M 148, Type 1 D, Class A)
01-024	J-11 W Rez Cure Dayton-Richmond No Name Given @ 815 732 3136, IL Local Rep: Intermountain Concrete Specialties 801 486 5311	Product is an all resin curing compound that is water-based and is VOC compliant for use in freshly finished horizontal and vertical concrete surfaces.	UDOT 2002 Standard Specification 03390 Part 2.1 (AASHTO M 148, Type 1 D, Class A)
02-027	Kurez DR VOX Euclid Chemical Company No Name Given @ No Phone Given, OH Local Rep: Cencotech Inc. 801 561 9600	Product is a reduced odor, liquid membrane forming curing compound formulated from hydrocarbon resins. The membrane provides initial cure for concrete, then begins to break down after approx. four weeks.	UDOT 2002 Standard Specification 03390 Part 2.1 (AASHTO M 148, Type 1, Class A & B)

Sealtight 1100 Clear 04-004

Product is a clear penetrating concrete sealer.

AASHTO M 148, Type 1 Class B/A, ASTM C-309, Type 1 Class B/A

W.R. Meadows, Inc. Gary Polley @ 8003425976, AZ

Local Rep: None

Published by: UDOT Research Division 4501 South 2700 West, Salt Lake City, UT 84114-8410 Log on to www.udot.utah.gov/ to view and download this listing from the internet

Revision Date

7/1/2002

7/1/2002

6/1/2002

CATEGORY
ID#

05-189

Product Trade Name/ Manufacturer Contact Reference Product Description and Manufacturer Suggested Use

Vendor Certifies Compliance With:

Revision Date

L.1 PCC Curing Compound - Strct/Arch

04-085

US Spec Maxcure Wax-Clear Product is a curing compound for structural and

architectural concrete

UDOT's Standard Specification, Section 03390, Part 2.1

U. S. Mix Products Co.

Brad Jacobson @ 3037787227, CO Local Rep: Intermountain Concrete Specialites 8014865311

US Spec Maxcure Resin-04-086 Clear

U. S. Mix Products Co.

Brad Jacobson @ 3037787227, CO Local Rep: Intermountain Concrete Specialties Product is a curing compound used on interior and

exterior concrete

UDOT's Standard

Specification, Section 03390,

Part 2.1

Certi-Vex Envio Cure White 05-186

UDOT Standard Specification 03390 Part 2 (AASHTO M 148, Type II,

Class A & B)

Local Rep: Ron Saunders 8012542955

Darrell Manuel @ 2153327709, PA

Vexcon Chemicals, Inc.

Certi-Vex Envio Cure

Product is an emulsion concrete sealer for sidewalks

Product is a concrete curing compound

UDOT Standard

Specification 03390, Part 2 (AASHTO M 148, Type 1D,

Class A)

Vexcon Chemicals, Inc

Daryl Manuel @ 2153327709, PA

Local Rep: Ron Saunders 8012542955

Published by: UDOT Research Division 4501 South 2700 West, Salt Lake City, UT 84114-8410 Log on to www.udot.utah.gov/ to view and download this listing from the internet

23

'Accepted' Products Listing (APL) Publication date: May 2006

CATEGORY ID#	Product Trade Name/ Manufacturer Contact Reference	Product Description and Manufacturer Suggested Use	Vendor Certifies Compliance With:	Revision Date
L.1 PC	C Curing Compound - Str	ct/Arch		
97-047	EDOCO Jan C. Winn @ 310 834 3401, CA Local Rep: Intermountain Fastening Systems 801 466 0307	Product is a water based, membrane forming concrete curing compound. Must be specified with fugitive dye to comply with Section 03390 Part 2.1	UDOT 2002 Standard Specification 03390 Part 2.1 (AASHTO M 148, Type 1, Class A)	3/1/1997
97-164	Horncure 30 D Tamms Industries Brad Nemunatis @ 800 218 2667, IL Local Rep: For-Shor Company 801 487 1656	Product is a liquid membrane forming concrete curing compound.	UDOT 2002 Standard Specification 03390 Part 2.1 (AASHTO M 148, Type 1 D, Class A)	10/1/2000
97-201	Pave Cure CW Conspec Marketing and Manufacturing Allen Hunter @ 800 348 7351, KS Local Rep: Champion Fabricating and Supply Co. 801 566 1211	Product is a high solids, wax based clear concrete curing compound. It must be specified with fugitive dye to comply with Section 03390, Part 2.1.	UDOT 2002 Standard Specification 03390 Part 2.1 (AASHTO M 148, Type 1, Class A)	8/1/1997
97-233	DOT Resin Cure	Product is a water emulsified, resin based liquid membrane forming compound for freshly poured	UDOT 2002 Standard Specification 03390 Part 2.1	10/1/2000

concrete.

Conspec Marketing & Manufacturing Allen Hunter @ 913 287 1700, KS Local Rep: Champion Fabricating & Supply Co. 801 566 1211

Specification 03390 Part 2.1

(AASHTO M 148, Type 1 D, Class A)

CATEGORY ID#	Product Trade Name/ Manufacturer Contact Reference	Product Description and Manufacturer Suggested Use	Vendor Certifies Compliance With:
L.1 PCC	C Curing Compound - Str	ct/Arch	
99-015	Spray-Cure Clear Chem Masters Paul Smith @ 440 428 8713, OH Local Rep: ForShor 801 487 1656	Product is a resin polymer concrete curing compound available with fugitive dye to ensure that specified application rates are maintained.	UDOT 2002 Standard Specification 03390 Part 2.1 (AASHTO M 148, Type 1 D, Class A)
99-128	Acryliguard Kemco Oil & Chemicals Larry Winters @ 801 768 4408, UT Local Rep: None	Product is a solvent based concrete curing compound that must be specified with fugitive dye to comply with Section 03390, Part 2.1	UDOT 2002 Standard Specification 03390 Part 2.1 (AASHTO M 148, Type 1, Class A)
L.2 Cur	ing Cmpd Stct/Arch/Ge	eneral	
90-027	HorseySet WDE Curing Compound	A zero VOC formulation that is water dispersed. Protects concrete by penetrating the surface to create a chloride and freeze/thaw resistant barrier.	UDOT CSI, Standard Specification 03390

Watson-Bowman-Acme, Div.Harris

Debbie Steiger @ 716 691 8162, CA

Local Rep: Intermountain Concrete Specialties 801 486 5311

Available in three colors.

10/1/2000

Revision

Date

10/1/2000

10/1/2000

L.2 PCC Curing Compound - Pavement

Certi-Vex Envio Cure White- Product is a white concrete curing compound 05-187 **Utah DOT**

Vexcon Chemicals, Inc.

Daryl Manuel @ 2153327709, PA

Local Rep: Ron Saunders 8012542955

UDOT Standard Specification 03390, Part 2 (AASHTO M -148, Type II, Class B, PAMS Resin Type

CATEGORY ID#	Product Trade Name/ Manufacturer Contact Reference	Product Description and Manufacturer Suggested Use	Vendor Certifies Compliance With:	Revision Date
L.2 PC	C Curing Compound - Pav	vement		
97-060	L&M Cure R L & M Construction Chemicals, Inc. Larry Schwietz @ 402 453 6600, NE Local Rep: Timberline 801 209 5478	Product is a poly-alpha-methyl styrene cure for concrete pavements.	UDOT 2002 Standard Specification 03390 Part 2.2 (AASHTO M 148, Type 2, Class B, PAMS Resin Type)	4/1/1997
97-109	TK-M-0368-2 Waterborne Cure TK Products Gary Blankenship @ 612 938 7223, MN Local Rep: Intermountain Concrete Speciaties 801 486 5311	Product is a waterborne poly-alpha-methyl styrene concrete pavement cure.	UDOT 2002 Standard Specification 03390 Part 2.2 (AASHTO M 148, Type 2, Class B, PAMS Resin Type)	6/1/1997
L.3 PC	C Curing Compound - Lea	an Base		
97-065	WX II Curing Compound Dayton Superior Jeri F. Kimbrel @ 972 938 0800, TX Local Rep: Cencotech 801 561 9600	Product is a white pigmented, sprayable, water carried curing compound for lean base.	UDOT 2002 Standard Specification 03390 Part 2.3 (AASHTO M 148, Type 2, wax base)	10/1/2000
97-094	Certivex Enviocure White Cure Vexcon Chemicals	Product is a white pigmented, wax based concrete cure for lean base concrete.	UDOT 2002 Standard Specification 03390 Part 2.3 (AASHTO M 148, Type 2,	6/1/1997

Marc Manuel @ 215 332 7709, PA

Local Rep: Intermountain Concrete Specialties 801 486 5311

wax base)

W. R. Meadows, Inc. Ron Miracle @ 602 932 9383, AZ Local Rep: none US Spec Maxcure Wax White Product is a white, water emulsion, wax based, concrete curing compound for lean base concrete. US Mix Products Co. Rick Ahern @ 303 778 7227, CO Local Rep: Intermountain Concrete Specialties 801 486 5311 US Spec Pams 701 Cure Product is a poly alpha methyl styrene concete programment quring compound. UDOT 2002 Stan Specification 0339 (AASHTO M 148, wax base) UDOT 2002 Stan Specification 0339 (AASHTO M 148, wax base) UDOT 2002 Stan Specification 0339 (ASHTO M 148, wax base) UDOT 2002 Stan Specification 0339 (ASHTO M 148, wax base) UDOT 2002 Stan Specification 0339 (ASHTO M 148, wax base)	ATEGORY ID# Ma	Product Trade Name/ anufacturer Contact Reference	Product Description and Manufacturer Suggested Use	Vendor Certifies Compliance With:
Curing compound for lean base. W. R. Meadows, Inc. Ron Miracle @ 602 932 9383, AZ Local Rep: none US Spec Maxcure Wax White Product is a white, water emulsion, wax based, concrete curing compound for lean base concrete. US Mix Products Co. Rick Ahern @ 303 778 7227, CO Local Rep: Intermountain Concrete Specialties 801 486 5311 L.3.a Cur. Cmpd PCCP (Poly-alpha-methyl) 04-088 US Spec Pams 701 Cure Product is a poly alpha methyl styrene concete payment curing compound. UDOT 2002 Stan Specification 033: (AASHTO M 148, wax based, concrete curing compound for lean base concrete. Wax base) UDOT 2002 Stan Specification 033: (AASHTO M 148, wax based) UDOT 2002 Stan Specification 033: (AASHTO M 148, wax based) UDOT 2002 Stan Specification 033: (AASHTO M 148, wax based) UDOT 2002 Stan Specification 033: (AASHTO M 148, wax based) UDOT 2002 Stan Specification 033: (AASHTO M 148, wax based) UDOT 2002 Stan Specification 033: (AASHTO M 148, wax based) UDOT 2002 Stan Specification 033: (AASHTO M 148, wax based) UDOT 2002 Stan Specification 033: (AASHTO M 148, wax based) UDOT 2002 Stan Specification 033: (AASHTO M 148, wax based)	.3 PCC C	Suring Compound - Lean	n Base	
Concrete curing compound for lean base concrete. US Mix Products Co. Rick Ahern @ 303 778 7227, CO Local Rep: Intermountain Concrete Specialties 801 486 5311 L.3.a Cur. Cmpd PCCP (Poly-alpha-methyl) US Spec Pams 701 Cure Product is a poly alpha methyl styrene concete payement curing compound UDOT's Standard	W. Ro	. R. Meadows, Inc. on Miracle @ 602 932 9383, AZ		UDOT 2002 Standard Specification 03390 Part 2.3 (AASHTO M 148, Type 2, wax base)
04-088 US Spec Pams 701 Cure Product is a poly alpha methyl styrene concete Product is a poly alpha methyl styrene concete UDOT's Standard	US Ric	S Mix Products Co. ck Ahern @ 303 778 7227, CO cal Rep: Intermountain Concrete Specialties		UDOT 2002 Standard Specification 03390 Part 2.3 (AASHTO M 148, Type 2, wax base)
04-088 US Spec Pams 701 Cure Product is a poly alpha methyl styrene concete Output Description of the concept	.3.a Cur.	Cmpd PCCP (Poly-alp	pha-methyl)	
Specification, Sec	-088 U \$	S Spec Pams 701 Cure		UDOT's Standard Specification, Section 03390, Part 2.2 All

Brad Jacobson @ 3037787227, CO

Local Rep: Intermountain Concrete Specialties 8014865311

L.4 PCC Curing Compound - Barrier

04-087 **US Spec CS25, 1315** *Product is a curing compound for concrete barrier*

U. S. Mix Products Co.

Brad Jacobson @ 3037787227, CO

Local Rep: Intermountain Concrete Specialties 8014865311

UDOT's Standard Specification, Section 03390, Part 2.4 Revision Date

10/1/2000

10/1/2000

CATEGORY
ID#

04-066

Product Trade Name/ Manufacturer Contact Reference Product Description and Manufacturer
Suggested Use

Vendor Certifies Compliance With:

Revision Date

M. Penetrating Concrete Sealers

00-101 Aquapel Plus

Product is a clear, penetrating concrete sealer that meets VOC requirements.

UDOT 2002 Standard Specification 03392 Part 2.1 including Table 1 9/1/2001

L & M Construction Chemicals, Inc.

Mark Schwietz @ 402 453 6600, NE

Local Rep: None

Hydrozo Silane 40 VOC

Product is a clear penetrating concrete sealer for hardened concrete

UDOT Standard Specifications, 03392 All

Degussa

Doug Gray @ 8019711071, MN

<u>Local Rep:</u> White Cap/Brent Ivie
8014632770

N. RUST PASSIVATORS

00-072 Greenbar-Epoxy Coating-

Rebar

Lilly Industries, Inc.

Michael P. Adams @ 816 421 7400, MO

Local Rep: Lilly Industries, Inc. 918 488 0610

Product is and epoxy coating application for rebar

UDOT Standard Specification 03211, Part 2.2 (AASHTO M284) 10/1/2000

03-114 Microcomposite(MMFX 2)

Steel Rebar

MMFX Steel Corporation

Tim Knaus @ 8667529155, NC

<u>Local Rep:</u> Roger Stutzman(Regional Manager)

4254543382

Product is an uncoated microcomposite high corrosion resistand steel used and reinforcement in concrete structures

UDOT, Standard Specifications, 03211

CATEGORY	Product Trade Name/ Manufacturer Contact Reference	Product Description and Manufacturer Suggested Use	Vendor Certifies Compliance With:	Revision <u>Date</u>
N. RUS	ST PASSIVATORS			
05-013	Epoxy Coated Reinforcing Steel Sunbelt Works, Inc. Russell Rice @ 9362588221, TX Local Rep: None	Product is an epoxy coating for deformed reinforcing steel used in concrete structures	AASHTO M 284 and ASTM 775 and UDOT Standard Specifications, Section 03211, Part 2.2 all	
O. Rus	st Passivators			
01-052	Scotchkote 413 Fusion Bonded Coating 3M Company Albert Schupbach @ 512 984 5683, TX Local Rep: 512 984 3395	Product is a one part, heat curable, thermosetting epoxy coating designed for corrosion protection of reinforcing steel.	UDOT 2002 Standard Specification 03211 Part 2.2 (AASHTO M 284 or M 111)	7/1/2002
98-038	Corvel Green 10-6095 Morton Powder Coatings Val DeBrunce @ 630 922 3476, IL Local Rep: Not sold through distributor	Product is a fusion-bonded epoxy powder coating for mesh and accessories.	UDOT 2002 Standard Specification 03211 Part 2.2 (AASHTO M 284 or M 111)	7/1/2002
R. Soil	ls & Foundation Treatment	ts		
02-071	Roadbond EN-1-Soil	Product is an environmentally friendly dust		10/1/2002

suppressant and soil stabilizer

Stabilizer/Suppressan
CSS Technologies, Inc.
Steve Merritt @ 800 541 3348, TX
Local Rep: Roadbond of New Mexico, LLC
505 842 1525

CATEGORY
ID#

05-179

Product Trade Name/ Manufacturer Contact Reference Product Description and Manufacturer
Suggested Use

Vendor Certifies Compliance With:

Revision Date

S. Structural Materials

00-040 Structural Welded Wire Mesh/Epoxy

Concrete Reinforcements, Inc. Ken Krebs @ 623 975 2970, AZ

Local Rep: none

Product is a deformed welded wire mesh used in precast noise/retaining walls.

10/1/2000

T.1 Single Application

05-178 **SIL-ACT ATS 22**

Product is a clear, penetrating concrete sealer with and alcohol carrier

UDOT Standard Specification 03392

Advanced Chemical Technologies Kevin Brown @ 4058432585, OK

Local Rep: None

SIL-ACT ATS 42

Product is a clear, penetrating concrete sealer with and alcohol carrier Specification

UDOT Standard Specification 03392

Advanced Chemical Technologies, Inc.

Kevin Brown @ 4058432585, OK

Local Rep: None

05-180 SIL-ACT Multigard

Product is an environmentally sound clear concrete penetrating sealer for hardened concrete

UDOT Standard Specification 03392

Advanced Chemical Technologies, Inc.

Kevin Brown @ 4058432585, OK

Local Rep: None

CATEGORY ID#	Product Trade Name/ Manufacturer Contact Reference	Product Description and Manufacturer Suggested Use	Vendor Certifies Compliance With:	Revision Date
T.1 Sing 85-001	ProSoCo, Inc. No Name Given @ 913 281 2700, KS Local Rep: Smalley and Comp.	Protects horizontal and vertical clay brick and natural stone substrates from anionic deicing salts, moisture and biological contaminants.	UDOT CSI, Standard Specification 03392	10/1/2000
88-004	CHEMSTOP SMS 250 Tamms Industries Co. Brad Nemunatis @ 800 218 2677, IL Local Rep: For Shor Co. 801 487 1656	A clear, nonstaining, nonyellowing, deep penetrating, silane modified siloxane concrete sealer. Not affected by UV degradation Affords variable degrees of penetration into the subsurface concrete. Protects against freeze/thaw effects.	UDOT CSI, Standard Specification 03392	10/1/2000
88-006	Hydrozo 40 Harris Specialties Chemicals Jim Neil @ 800 523 6462, CA Local Rep: Procoat Systems Inc. 801 973 8822	A clear penetrating sealer designed to protect new and existing concrete surfaces. A one-coat material. Composed of silane, siloxane, and other compounds.	UDOT CSI, Standard Specification 03392	10/1/2000
88-019	Stifel Concrete Sealer Nox-crete Chemicals Christy Kaiser @ 402 4220 0670, NE	A silane-type penetrating concrete sealer. Protects against chuckholes, erosion and pitting, scaling, sweating, oxidation.	UDOT Standard Specification T-490 [95], "Penetrating Concrete Sealer".	4/1/1996

Local Rep: None

CATEGORY ID#	Product Trade Name/ Manufacturer Contact Reference	Product Description and Manufacturer Suggested Use	Vendor Certifies Compliance With:	Revision Date
T.1 Sin (Gle Application Hydrozo Clear 650 Sealer Harris Specialties Chemicals Jim Neil @ 800 523 6462, CA Local Rep: Procoat Systems Inc.	Product is a clear penetrating concrete sealer	UDOT CSI, Standard Specification 03392	10/1/2000
89-002	Pentane 40 Concrete Sealer L & M Construction Chemicals Mark Schwietz @ 402 453 6600, AZ Local Rep: Scott Lewis 801 560 5311	A 100% reactive non-staining, alkyl polymer silane concrete sealer. Available as a sprayable liquid. Product bonds chemically with the concrete to create a polymerized barrier within the penetrated concrete.	UDOT Standard Specification T-490 [95], "Penetrating Concrete Sealer". Duplicate product entry.	9/1/1997
89-004	Consolideck Saltguard Sealer-Concrete Prosoco, Inc. Scott Buscher @ 800 255 4255, KS Local Rep: Bud Barr 303 753 6525	An alkyl-alkoxy siloxane penetrating concrete sealer for use on horizontal or vertical concrete surfaces. Penetrates concrete to protect against effects of salts to structural concrete.	UDOT CSI, Standard Specification 03392	10/1/2000
89-010	Life Time Water Sealant Life Time Sealant Products Inc. Herbert Banner @ 516 979 4990, NY	A silicone rubber with a claimed life expenctancy of 30 years. Cures for traffic in 30 to 45 minutes.	UDOT CSI, Standard Specification 03392	10/1/2000

Local Rep: Utah Sealant Products 801 566 4570

CATEGORY ID#	Product Trade Name/ Manufacturer Contact Reference	Product Description and Manufacturer Suggested Use	Vendor Certifies Compliance With:	Revision Date
T.1 Sing	gle Application			
89-011	Euclid Chemical Company Dave Miles @ 916 927 4960, OH Local Rep: Apex Building Specialties 801 359 2044	A siloxane clear penetrating concrete sealer. Provides an efficient, continuous chloride barrier. High alkali resistance. Suitable for use over dry or damp (not saturated) concrete. Full protection in one treatment.	UDOT Standard Specification T-490 [95], "Penetrating Concrete Sealer".	10/1/2000
90-001	Carbocrete Sealer 700 Carboline Company No Name Given @ 314 644 1000, MO Local Rep: Reeves and Company 801 487 4731	Composed of organosiloxane, this is a clear penetrating concrete sealer. Not recommended for application over membranes or curing compounds. Designed for protection of bridge decks, roadways, median barriers, bridge piers, etc.	Specification 03392	10/1/2000
90-002	Professional Water Sealant Sein Chemicals Inc. George Tomlin @ 710 488 0288, KS Local Rep: F.H.T. Distributors 801 268 1810	A silicone-base clear penetrating concrete sealer. Product allows moisture vapor to escape, but does not allow liquids to penetrate the permeated surface.	UDOT Standard Specification T-490 [95], "Penetrating Concrete Sealer".	5/1/1996
90-037	Masonry Sealer 1000 & 2000 3M Company-Traffic Controls Division George Frost @ 800 362 3455, Mi	Siloxane in mineral spirits is the base for the penetrating concrete sealer. A single component sealer which can be applied by low pressure spray. Reduces chloride ion migration through concrete.	UDOT CSI, Standard Specification 03392	10/1/2000

Local Rep: None

CATEGORY ID#	Product Trade Name/ Manufacturer Contact Reference	Product Description and Manufacturer Suggested Use	Vendor Certifies Compliance With:	Revision Date
T.1 Sing	gle Application			
90-044	Moxie 1500 Concrete Sealer Moxie International Dennis Lee @ 916 338 3393, CA Local Rep: None	A claimed "waterbase" penetrating sealer. Little documentation on this product is on file. However, Complete penetration is achieved within 30 days of application to concrete.	UDOT CSI, Standard Specification 03392	10/1/2000
90-052	Nitocote Dekguard Fosroc Preco Steven Geiger @ 800 645 3954, IN Local Rep: Smalley & Company 801 975 0672	A silane-siloxane system that has low volatility. This is a two-component system with a primer treatment and a topcoat application.	UDOT CSI, Standard Specification 03392	10/1/2000
93-083	Chem-Trete BSM-40 and 20 Dynamit Nobel No Name Given @ No Phone Given, Local Rep: Huls America Inc. 908-980-6800	This product was tested numerous times by UDOT Materials and Research division (1980, 1984, 1992). Letter on file informing vendor that tests showed "marginal performance".	UDOT Standard Specification T-490, "Penetrating Concrete Sealer".	5/1/1996
93-113	Master Seal SL 20% and 40%	A silane based clear penetrating concrete sealer. Protects horizontal and vertical concrete from chloride penetration and waterborne salts.	UDOT CSI, Standard Specification 03392	10/1/2000

chloride penetration and waterborne salts.

Master Builders Inc.

Local Rep: Concesco Distributing 801 972 8777

Robert McNamara @ 216 831 5500, OH

CATEGORY ID#	Product Trade Name/ Manufacturer Contact Reference	Product Description and Manufacturer Suggested Use	Vendor Certifies Compliance With:	Revision Date
T.1 Sin	gle Application			
93-115	Masterseal GP Master Builders Inc. Robert McNamara @ 216 831 5500, OH Local Rep: Concesco Distributing 801 972 8777	An epoxy formulation, single application clear penetrating concrete sealer. Protects bridges, pavements, median barriers, wingwalls, etc. from chloride intrusion into concrete.	UDOT CSI, Standard Specification 03392	10/1/2000
U. TRA	FFIC SAFETY PRODUCTS			
00-003	Rigid Roll-Up Signs	Product is a roll up work zone sign.	UDOT CSI Standard Specification 01554	2/1/2000
	Eastern Metal/USA Sign Jan Miller @ 800 872 7446, NY Local Rep: Safety and Sign Supply 800 999 9875			
04-041	Prismatic Reflective Sign Sheeting Series 3930 3M Ellen Harelstad @ 6517360166, MI Local Rep: Justin O'Connor/3M 9709881481	Product is a reflective sign sheeting-high intensity grade prismatic sheeting	UDOT Standard Specification, Section 02891, 2.1 (E)	
04-042	Prismatic Reflective Barricade Sheeting 334/336 3M Ellen Harelstad @ 6517360166, MI Local Rep: Justin O'Connor/3M 970881481	Product is a high intensity grade sign sheeting for workzone barricades	UDOT Standard Specifications, Section 2.1 (E) 2	

9709881481

CATEGORY ID#	Product Trade Name/ Manufacturer Contact Reference
U. TRAF	FIC SAFETY PRODUCTS
05-072	Model #037 Cantilever Mailbox Support Friend Innovations Thomas @ , MN Local Rep:
05-074	SB-1-TL Safety Barrier Safety Barriers, Inc.

Product Description and Manufacturer
Suggested Use

Vendor Certifies Compliance
With:

Revision Date

72	Model #037 Cantilever Mailbox Support Friend Innovations Thomas @, MN Local Rep:	Product is a canilever mailbox support	Guide for erecting mailboxes, federal 1993 fhwa letter HNG-14 2004 letter HAS-10/SS-128.
74	SB-1-TL Safety Barrier Safety Barriers, Inc. David Walker @ 8655999130, TN Local Rep:	Product is a temporary work zone safet barrier	Federal- NCHRP305-3-11
75	Anchor Barricade Plastic Safety Systems, Inc. Alice Washburn @ 8006626338, OH Local Rep: Utah Barricade/Cal Johnson 8019739800	Product is a type III barricade used in temporary work zones, etc.	Federal NCHRP-350, MUTCD, UDOT TC-1A, TC- 1B, std drawings.
' 6	Trelleborg-TGS Trelleborg Industri AB Teun Loontjens @ , UT Local Rep: Burton J. Sutker 6097300839	Truncated Dome modules prefabricated out of rubber that must meet UDOT Standards and be ADA compliant	

CATEGORY
ID#

Product Trade Name/ Manufacturer Contact Reference Product Description and Manufacturer
Suggested Use

Vendor Certifies Compliance With:

Revision Date

U. TRAFFIC SAFETY PRODUCTS

Product is an economy portable delineator **TD5000** 06-013 ASTM-4956.01, Federal-Mutcd, self cert. Under NCHRP350, UDOT- 01554, Three D. Traffic Works Drawing TC 1A. Frank Dvoracek @ 8778439757, CA Local Rep: Product is a ringtop 4" tube delineator/marker **TD5100** 06-015 ASTM- 4956.01, Federal-NCHRP350 letter, WZ-118, Three D. Traffic Works self-cert, mutcd, UDOT-01554, Drawing TC-1A. Frank Dvoracek @ 8778439757, CA Local Rep: Product is universal vertical panel delineator **TD6500 Universal Vertical** 06-016 ASTM- 4956.01, Federal-Self Cert., Category 1 device **Panel** Three D. Traffic Works by NCHRP350, mutcd. UDOT- 01554, Drawing TC Frank Dvoracek @ 8778439757, CA 1A. Local Rep: Product is a 52" vertical panel **TD6200 VIP** 06-017 ASTM- 4956.01, Federal-WZ-118, mutcd., UDOT-01554, Drawing TC 1A. Three D. Traffic Works

Local Rep:

Frank Dvoracek @ 8778439757, CA

CATEGORY ID#	Product Trade Name/ Manufacturer Contact Reference	Product Description and Manufacturer Suggested Use	Vendor Certifies Compliance With:	Revision Date
U. TRA	FFIC SAFETY PRODUCTS			
99-121	3M Scotchlite/ Engineer Grade 3M Company Dennis Johnson @ 888 400 1315, MN Local Rep: 888 400 1315			11/1/2000
U.1 Ma	rkers Delineators			
92-113	Culvert Markers O/B Davidson Plastics David Mahalko @ 206 251 8140, WA Local Rep: None	same as 92-240.	UDOT Standard Specification 811 [94], "Delineator".	6/1/1997
93-037	Flexible Surface and Highway Delineators Flexstake, Inc. Ty Blackburn @ 813 939 4599, FL Local Rep: Flasher Direct 800 748 4443	A flexible delineator which mounts on top of New Jersey barrier.		10/1/2000
93-064	300 NH Series Std.Mrkr.	A flexible plastic delineator which is able to withstand up to 5 hits before needing replacement. Available in many colors.	:	10/1/2000

Flexstake, Inc.

Local Rep: Flasher Direct

Ty Blackburn @ 813 939 4599, FL

800 748 4443

CATEGORY ID#	Product Trade Name/ Manufacturer Contact Reference	Product Description and Manufacturer Suggested Use	Vendor Certifies Compliance With:	Revision Date
U.1 Ma	rkers Delineators			
99-119	3M Scotchlite/ Diamond Grade VIP 3M Company Dennis Johnson @ 651 733 0582, MN Local Rep: 888 400 1315	Durable sign sheeting-all		10/1/2000
99-120	3M Scotchlite/ High Intesity	Durable high intensity sign sheeting		10/1/2000
	3M Company Dennis Johnson @ 651 733 0582, MN <u>Local Rep:</u> 888 400 1315			
V.1 Pa	vement Markings - Acrylic	Water Based		
01-009	Duraline 2000 W/Y TMT-Pathway, LLC Ed Rouiller Rich Lazarus @ 503 362 2277, Local Rep: Ed Rouiller/TMT Pathway 909 982 9312	Product is a fast no track waterborne traffic marking	^g UDOT 2002 Standard Specification 02765 Part 2.1	10/1/2001
02-002	UTY& UTW-40-M-1 Traffic Paint Ennis Paint, Inc. Klyne McCarty @ 800 331 8118, TX Local Rep:	Product is a waterborne highway traffic marking material for highways.	UDOT 2002 Standard Specification 02765 Part 2.1	5/1/2002

CATEGORY	Product Trade Name/ Manufacturer Contact Reference	Product Description and Manufacturer Suggested Use
V.1 Pa	vement Markings - Acrylic	Water Based
02-003	Pervoplastic 6050 Striping	Product is an acrylic polymer, waterbased, durabale traffic marking material
	Pervo Paint Company John Haupenthal @ 323 758 1147, CA Local Rep: None	
02-023	Duraline 2600A9 W/Y	Product is a waterborne traffic line paint that is environmentally friendly
	TMT-Pathway, LLC Rick Sandahl @ 503 364 2277, OR Local Rep: TMT-Pathway 602 659 1552	
02-024	Legend Build Traffic Paint W/Y	Product is a highly durably, fast drying, environmentally friendly waterborne traffic marking paint

Product is a waterborne traffic line paint that is environmentally friendly	UDOT 2002 Standard Specification 02765 Part 2.1	5/1/2002
Product is a highly durably, fast drying, environmentally friendly waterborne traffic marking paint	UDOT 2002 Standard Specification 02765 Part 2.1	5/1/2002
Product is a fast drying waterborne traffic marking material.	UDOT 2002 Standard Specification 02765 Part 2.1	10/1/2001

Vendor Certifies Compliance

With:

Specification 02765 Part 2.1

UDOT 2002 Standard

Revision

Date

5/1/2002

TMT-Pathway, LLC

Ennis Paint, Inc.

Local Rep: None

98-123

Rick Sandahl @ 503 364 2277, OR

<u>Local Rep:</u>
TMT Pathway, LLC
602 549 1552

Waterborne Traffic Paint

Klyne McCarty @ 972 875 7272, TX

CATE	GORY
<u>ID</u>	<u>#</u>
V.2	Pa

02-011

Product Trade Name/ Manufacturer Contact Reference Product Description and Manufacturer Suggested Use

Vendor Certifies Compliance With:

Revision Date

vement Markings - Lo VOC Solvent

Morline 01-010

Product is a fast drying solvent borne, VOC UDOT 2002 Standard compliant traffic marking Specification 02765 Part 2.1

10/1/2001

TMT-Pathway, LLC

Ed Rouiller Rich Lazarus @ 503 364 2277,

Local Rep: Ed Rouiller/TMT Pathway 909 982 9312

V.3 Pavement Markings - Tape

Series 2000, GRT Tape 01-051

Product is a removable highway marking tape designed to be easily installed in and around road construction projects were temporary markings are needed.

UDOT 2002 Standard Specification 01558 Part 2.2 7/1/2002

Garlock Rubber Technologies

Bill Vernall @ 870 239 4051, AZ

Local Rep: None

Stamark Brand High Perf. **Series 380/420**

3M Company

Neil Hodson @ 651 733 9923, MN

Local Rep: 3M Company 970 217 3131 Product is a high performance tape manufactured with abrasion resistant microcrystalline ceramic beads for highway traffic marking. Striping for both concrete and asphalt in durable applications.

UDOT 2002 Standard Specification 02768 Part 2.1 7/1/2002

ATM 120 No Foil-White 02-056

Removeable Tape

Advance Traffic Markings

David Harding @ 252 536 257i4, NC

Local Rep:

918 686 6187

Product is a preformed plastic, removable traffic marking tape for construction zones

UDOT 2002 Standard Specification 01558

9/1/2002

CATEGORY ID#	Product Trade Name/ Manufacturer Contact Reference	Product Description and Manufacturer Suggested Use	Vendor Certifies Compliance With:	Revision Date
V.3 Pav 02-057	rement Markings - Tape ATM 120 No Foil Tape - Yellow Advance Traffic Markings David Harding @ 252 536 2574, NC Local Rep: 918 686 6187	Product is a preformed plastic, temporary removable traffic marking tape	UDOT 2002 Standard Specification 01558	9/1/2002
02-058	ATM 200 Removable Traffic Marking Tape-W Advance Traffic Markings David Harding @ 252 536 2574, NC Local Rep: 918 686 6187	Product is a construction grade, removable traffic marking tape, temporary	UDOT 2002 Standard Specification 01558	9/1/2002
02-059	ATM 200 Removable Tape Advance Traffic Markings David Harding @ 252 536 2574, NC Local Rep: 918 686 6187	Product is a yellow traffic marking tape used as a temporary marking	UDOT 2002 Standard Specification 01558	9/1/2002
03-005	Prismoline TRT Series T- 2512 Lafarge Road Marking Kevin Francis @ 570 546 6041, PA Local Rep:	Product is a temporary, removable tape used to delineate traffic in work zones and detour areas. Certification received 04-01-03	UDOT 2002 Standard Specification 01558 Part 2.2	4/1/2003

303 467 0408

CATEGORY ID#	Product Trade Name/ Manufacturer Contact Reference	Product Description and Manufacturer Suggested Use	Vendor Certifies Compliance With:	Revision Date
V.4 Pav 01-008	Vement Markings - Epoxy Dura-Stripe TMT-Pathway, LLC Ed Rouiller/ Rich Lazarus @ 503 364 2277 Local Rep: Ed Rouiller/TMT Pathway 909 982 9312	Product is a durable, epoxy traffic marking	UDOT 2002 Standard Specification 02768 Part 2.2	10/1/2001
02-004	Mark 55.3 Epoxy Traffic Marking Poly-Carb, Inc. Kaushal Shah @ 440 248 1223, OH Local Rep: None	Product is a long life, fast setting epoxy traffic marking material for highways	UDOT 2002 Standard Specification 02768 Part 2.2	5/1/2002
02-005	Epoplex LS50 Epoplex, Division of Stonhard, Inc. Kent Stough @ 856 667 8399, NJ Local Rep: 801 619 1442	Product is a white & yellow, long life epoxy traffic marking paint for pavements.	UDOT 2002 Standard Specification 02768 Part 2.2	5/1/2002
02-006	Epoplex LS60 Epoplex, Division of Stonhard, Inc. Kent Stough @ 856 667 8399, NJ Local Rep:	Product is a durable, long line epoxy traffic marking material for concrete and asphalt.	UDOT 2002 Standard Specification 02768 Part 2.2	5/1/2002

801 619 1442

CATEGORY ID#

Product Trade Name/ Manufacturer Contact Reference Product Description and Manufacturer Suggested Use

Vendor Certifies Compliance With:

Revision Date

V.4 Pavement Markings - Epoxy

Mark-55.4 HT 04-033

Product is and epoxy traffic marking material, log

UDOT Standard Specification, Section 02768, Part 2.2

Poly-Carb, Inc.

Puneet Singh @ 4402481223, OH

Local Rep: None

Mark-55.4 HT 04-039

UDOT Test Deck, I-215

Poly-Carb, Inc.

Puneet Singh @ 4402481223, OH

Local Rep: None

HPS-3A Hi-Perf Epoxy 99-126 Traffic Marking

Innovative Performance Systems(IPS)

Tom McSwain @ 919 990 7668, NC Local Rep: None

Product is an epoxy traffic marking material.

UDOT 2002 Standard Specification 02768 Part 2.2 10/1/2001

V.5 Pavement Markings - Thermoplastic

Premark 20/20 Flex Marking 00-048

Product is a thermoplastic pavement marking for pavement markings

UDOT CSI 1999 Metric Standard Specification Section 02768

10/1/2000

LKF Inc.

Laura Jensen @ 910 475 6600, NC

Local Rep: Flint Trading, Inc. 910 475 6600

CATEGORY	<u>P</u>
ID#	Manuf
V.5 Pav	emer
01-078	Pren
	LKF, In
	Rob Ma
	Local R
02-007	Tuffl
	Crown

Product Trade Name/ acturer Contact Reference Product Description and Manufacturer Suggested Use

Vendor Certifies Compliance With:

Revision Date

nt Markings - Thermoplastic

nark 20/20 Flex Plus

Product is a thermo plastic legend, stop bar traffic marking material.

UDOT 2002 Standard Specification 02768 Part 2.4 1/1/2001

anchek @ 336 475 7400, NC

Rep: Flint Trading, Inc. 336 475 6600

line

02-009

Product is a white & yellow thermoplastic pavement marking material for highways.

UDOT 2002 Standard Specification 02768 Part 2.4 5/1/2002

Crown Technology, LLC

Mark Bjorklund @ 706 553 9500, GA

Local Rep: None

Premark 20/20 Flex Plus

Product is a preformed thermoplastic pavement marking material for symbols, cross walks, stop bars.

UDOT 2002 Standard Specification 02768 Part 2.4 5/1/2002

LKF, Inc. Rob Manchek @ 336 475 7400, NC

Local Rep: Flint Trading, Inc. 336 475 6600

Dura-Stripe 02-025

Product is a two component methyl methacrylate durable highway traffic marking

UDOT 2002 Standard Specification 02768 Part 2.4

5/1/2002

TMT-Pathway, LLC

Rick Sandahl @ 503 364 2277, OR

Local Rep: TMT-Pathway 602 549 1552

Published by: UDOT Research Division 4501 South 2700 West, Salt Lake City, UT 84114-8410 Log on to www.udot.utah.gov/ to view and download this listing from the internet

45

'Accepted' Products Listing (APL) Publication date: May 2006

CATEGORY	
ID#	

<u>Product Trade Name/</u> <u>Manufacturer Contact Reference</u> Product Description and Manufacturer
Suggested Use

Vendor Certifies Compliance
With:

Revision Date

V.5 Pavement Markings - Thermoplastic

03-006 ThermaLine Preformed Thermoplastic

Lafarge Road Marking

Kevin Francis @ 570 546 6041, PA

Local Rep:

303 467 0408

Product is a heat fused preformed thermoplastic designed as a durable pavement marking.

Certification received 04-01-03

UDOT 2002 Standard Specification 02768 Part 2.4 4/1/2003

03-069 Flame Tape

Ennis Paint, Inc. John Lester @ 925 935 5954, CA

Local Rep: None

Product is a thermo plastic tape for stop bars,

crosswalks, and legends.

UDOT 2002 Standard Specification 02768 Part 2.4

96-075 **Hot Tape**

Zumar Industries

Rebecca Johnson @ 8004267967, WA

Local Rep: None

Product is a heat-fused preformed thermoplastic pavement marking available in a variety of MUTCD symbols.

UDOT 2002 Standard Specification 02768 Part 2.4 10/1/2000

W. TRAFFIC SAFETY PRODUCTS

03-113 E Z Set Pedestrian Warning

Truncated dome pad for sidewalk ramps, approaches and where detection is required for visually impaired

UDOT Standard Drawing GW 5-certified

Detectable Warning Systems

Jerry Smith @ 7149743566, UT

<u>Local Rep:</u> Intermountain Traffic and Safety, Inc

8019726515

Published by: UDOT Research Division 4501 South 2700 West, Salt Lake City, UT 84114-8410 Log on to www.udot.utah.gov/ to view and download this listing from the internet

46

'Accepted' Products Listing (APL) Publication date: May 2006

CATEGORY ID#	Product Trade Name/ Manufacturer Contact Reference	Product Description and Manufacturer Suggested Use	Vendor Certifies Compliance With:	Revision Date
X.1 Tra	ffic Safety			
00-124	W-6100 Series Sheeting Avery Dennison Don Graefenhain @ 303 410 8272, CO Local Rep: None	Product is a work zone sign/delineator sheeting to be used on barrels and signs.	UDOT 2002 Standard Specification 02891, Part 2.1 E	9/1/2001
01-057	Square Value St. Louis Steel Products, Inc. Joseph Frazzetta @ 314 770 2000, MO Local Rep: Intermountain Traffic Safety Inc. 801 972 6515	Product is a square, perforated steel tube post for small signs.	UDOT 2002 Standard Drawing SN 10	7/1/2002
01-059	Nikkalite Encapsulated Lense Sheeting Nippon Carbide Industries (USA) James Hu @ 310 632 7500, CA Local Rep: None	Product is a high intensity sign sheeting for plywood and metal sign bases and has certified to meeting the UDOT requirements.	UDOT 2002 Standard Specification 02891, Part 2.1 E	8/1/2001
01-089	King Block Trinity Industries, Inc. Don Gripne @ 360 943 9559, WA Local Rep: Trinity Industries, Inc.	Product is a composite material blockout for steel post W-beam guardrail	UDOT 2002 Standard Specification 02148 Part 2.2 and UDOT 2002 Standard Drawing BA-4	6/1/2002

800 772 7976

CATEGORY ID#	Product Trade Name/ Manufacturer Contact Reference	Product Description and Manufacturer Suggested Use	Vendor Certifies Compliance With:	Revision Date
X.1 Traf	ffic Safety			
01-094	Poly Lumber Ramco International of DelawareLLC Russ Walker @ 412 494 0743, PA Local Rep: None	Product is a guardrail block made out of recycled plastic	UDOT 2002 Standard Specification 02148 Part 2.2 and UDOT 2002 Standard Drawing BA-4	6/1/2002
01-095	White Mountain G.R.P. Imperial Laminators Dale Kamarata @ 928 333 5501, AZ Local Rep: None	Product is a laminated wood post to use a substitute for the standard wood post and block used in the guardrail system	UDOT 2002 Standard Specification 02148 Part 2.2 and UDOT 2002 Standard Drawing BA-4	6/1/2002
01-098	Recyled Plastic Guardrail Post Amity Plastics Ltd. Rick Hoogewoonink @ 780 348 5355, Ca Local Rep: None	Product is recycled plastic guard rail post and block	GUDOT 2002 Standard Specification 02148 Part 2.2 and UDOT 2002 Standard Drawing BA-4	6/1/2002
02-008	H1010 Plowable Marker Hallen Products, Ltd. Allen Siblik @ 847 662 6868, IL Local Rep: None	Product is a low profile, narrow snowplowable raised pavement marker and has a replaceable reflector	UDOT 2002 Standard Specification 02762 Parts 2.1 and 2.2	4/1/2002

CATEGORY ID#	Product Trade Name/ Manufacturer Contact Reference	Product Description and Manufacturer Suggested Use	Vendor Certifies Compliance With:	Revision Date
X.1 Tra t	Central II Recycled Guardrail Block Central Fabricators/Universal Ind. Sales Martin Snow @ 801 785 0505, UT Local Rep: None	Product is a 6" x 8" x 14" recycled plastic guardrail spacer block	UDOT 2002 Standard Specification 02148 Part 2.2 and UDOT 2002 Standard Drawing BA-4	6/1/2002
02-020	EZ Drive Marker Flexstake, Inc. Dale Wheeler @ 800 348 9839, FL Local Rep: None	Product is a flexible, all weather marker/delineator for use on ramps, roadways and utility locations.	UDOT 2002 Standard Specification 02842	6/1/2002
02-051	Mondo Block Mondo Polymer Technologies, Inc. Maggie Ellis @ 740 376 9396, OH Local Rep: None	Productd is a 100% recycled plastic block to be used on new and used strong post w-beam guardrail systems	UDOT 2002 Standard Drawing BA 4	10/1/2002
02-074	Flexstake Surface Mount Flexstake, Inc. Dale Wheeler @ 800 348 9839, FL	Product is a flexible surface mount delineator and channelizer	UDOT 2002 Standard Specification 02842	10/1/2002

Local Rep: None

CATEGORY ID#	Product Trade Name/ Manufacturer Contact Reference	Product Description and Manufacturer Suggested Use	Vendor Certifies Compliance With:	Revision Date
X.1 Tra	ffic Safety			
02-078	Alpolic 350 Sign Substrate	Product is a composit of a sheet of aluminum continuously bonded to each side of a	UDOT 2002 Standard	11/1/2002
	Mitsubishsi Chemicals of America, Inc. Paul Grime @ 757 382 5750, VT Local Rep: Korman Signs, Inc. 800 296 6050	polyethylene core resulting in a flat, smooth and rigid material ready to accept reflective sheeting	Specification 01554, 1.5	
02-087	Detectable Warning Tile	Product is a 24" x 24" in line dome tactile warning tile	None	12/1/2002
	ADA Fabaricators, Inc. Joe Dunnigan @ 978 262 9900, ME Local Rep: None			
02-088	Vanguard ADA Systems	Product is a national detectable warning and non- skid surface, prefabricated and installed with glue	None	12/1/2002
	Tilco Vanguard Inc. Jon Julnes @ 360 668 5700, WA Local Rep: None			
02-090	Holland ADA Pavers	Product is a detectable warning paver for pedistrian ramps, intersections etc.	None	12/1/2002
	Pavestone Companyu Mark Tiernan @ 702 221 2700, NV Local Rep: Terry Powell 801 768 8401			

CATEGORY ID#	Product Trade Name/ Manufacturer Contact Reference	Product Description and Manufacturer Suggested Use	Vendor Certifies Compliance With:	Revision Date
X.1 Trat	ffic Safety TD 5500 Earthflex Delineator Three D Traffic Works Frank Dvoracek @ 877 843 9757, CA Local Rep: None	Product is a ground mounted flexible delineator for highway delineation and boundry marking	UDOT 2002 Standard Specification 02842	12/1/2002
02-092	TD 9416 Roadguide Three D Traffic Works Frank Dvoracek @ 877 843 9757, CA Local Rep: None	Product is a barrier reflector for bridge and concrete barrier, top and side mounted	UDOT 2002 Standard Drawing GW 9	12/1/2002
02-093	TD 9100 Roadguard Three D Traffic Works Frank Dvoracek @ 877 843 9757, CA Local Rep: None	Product is a guard rail delineator, guide post marker and barrier marker	UDOT 2002 Standard Drawing GW 9	12/1/2002
02-094	TD 9304 Roadguide Three D Traffic Works Frank Dvoracek @ 877 843 9757, CA	Product is a concrete barrier marker	UDOT 2002 Standard Drawing GW 9	12/1/2002

Local Rep: None

CATEGORY ID#	Product Trade Name/ Manufacturer Contact Reference	Product Description and Manufacturer Suggested Use	Vendor Certifies Compliance With:	Revision Date
X.1 Traf	ffic Safety			
02-096	TD 2100 Works Barricade	Product is a temporary type I and type II barricade used in work zone settings	UDOT 2002 Standard Specification 01554	12/1/2002
	Three D Traffic Works Scott Behm @ 877 843 9757, CA Local Rep: None			
02-097	TD 5200 Channelflex Three D Traffic Works	Product is a plastic, flexible channelizer, delineator	UDOT 2002 Standard Specification 02842	12/1/2002
	Scott Behm @ 877 843 9757, CA Local Rep: None			
02-104	Guardian 350 Highway Barrier Armorcast Products Company-Guardian Sydney Chase @ 818 982 3600, CA Local Rep: None	Product is a plastic water/sand filled barrier system used in work zones for traffic delineation. Reviewed again in April 2003 and was accepted	UDOT 2002 Standard Specification 02842	4/1/2003
02-105	Strongwall Detectable Warning Systems Strongwall Industries, Inc. Gene Petrone @ 201 445 4633, NJ Local Rep: None	Product is truncated domes and and anti slip field used for tactile warning systems.	UDOT Standard Drawing GW-5 certified	2/1/2003

CATEGORY ID#	Product Trade Name/ Manufacturer Contact Reference	Product Description and Manufacturer Suggested Use	Vendor Certifies Compliance With:	Revision Date
X.1 Traf 02-107	Ffic Safety Dura-Bull Safety Delineator Creative Building Products J. C. Brown @ 260 459 0456, IN Local Rep: None	Product is a steel guardrail blockeout plastic delineator bracket with reflective material	UDOT 2002 Standard Drawing GW 9	3/1/2003
02-108	Dura Bull Delineator/Pedestrian Creative Building Products J. C. Brown @ 260 459 0456, IN Local Rep: None	Product is a plastic barrier delineator bracket to aid pedestrians	UDOT 2002 Standard Drawing GW 9	3/1/2003
02-109	Dura Bull Top Mount Barrier Delineator Creative Building Products J. C. Brown @ 260 459 0456, IN Local Rep: None	Product is a top/side mounted barrier delineator to be used in concert with beam guardrail	UDOT 2002 Standard Drawing GW 9	3/1/2003
03-001	Flexstake Ground Mount Flexstake, Inc. Dale Wheeler @ 800 348 9839, FL Local Rep: None	Product is a plastic, flexible ground mount roadway delineator. Certificate received March 30, 2003	UDOT 2002 Standard Specification 02842	4/1/2003

CATEGORY
ID#

03-080

Product Trade Name/ Manufacturer Contact Reference Product Description and Manufacturer Suggested Use

Vendor Certifies Compliance With:

Revision Date

X.1 Traffic Safety

4" x 8" 14" Routed Offset **Block**

> Midwestern Wholesalers, Inc. Todd Moore @ 4196681610, OH

Local Rep: Same

Product is used in conjunction with the steel post in UDOT 2002 Standard the metal beam guardrail installation.

Drawing BA 4

Armor-Tile 03-086

Product is a plastic detectable warning, tactile

system

UDOT Standard Drawing

Engineered Plastics Inc.

Ron O'Neill @, NY

Local Rep: White Cap Pro-Contractor/Vic Little

8014632770

F & A Frame 03-095

Product is a Type I or II barricade.

UDOT 2002 Standard Drawing TC-1A

Plastic Safety Systems, Inc. Mke Heltzel @ 8006626338, OH

Local Rep: Utah Barricade/Cal Johnson

8019739800

PST-III 03-097

Product is a Type III barricade used in work zone settings.

54

UDOT 2002 Standard Drawing TC-1A

Plastic Safety Systems, Inc.

Mike Heltzel @ 8006626338, OH Local Rep: Utah Barricade/Cal Johnson

8019739800

Published by: UDOT Research Division 4501 South 2700 West, Salt Lake City, UT 84114-8410 Log on to www.udot.utah.gov/ to view and download this listing from the internet

'Accepted' Products Listing (APL) Publication date: May 2006

CATEGORY	Product Trade Name/
ID#	Manufacturer Contact Reference
X.1 Tra	ffic Safety

Product Description and Manufacturer Suggested Use

Vendor Certifies Compliance With:

Revision Date

X.1	Traffic	Safety

03-098 MVP Product is a 12" x 26" vertical panel for work zone delineation.

UDOT 2002 Standard Drawing TC-1A

Plastic Safety Systems, Inc.

Mike Heltzel @ 8006626338, OH Local Rep: Utah Barricade/Cal Johnson 8019739800

Lifegard II 03-099

Product is a plastic traffic drum used in work zone delineation.

UDOT 2002 Standard Drawing TC-1A

Plastic Safety Systems, Inc.

Wes Schieferstein @ 8006626338, OH Local Rep: Utah Barricade/Cal Johnson 8019739800

Navigator

03-100

Product is traffic delineation cone used in work zone settings.

UDOT 2002 Standard Drawing TC-1A

Plastic Safety Systems, Inc.

Mike Heltzel @ 8006626338, OH Local Rep: Utah Barricade/Cal Johnson 8019739800

Recessed Mailbox Support 04-012

System Northwest Pipe Company

Steve Dowell @ 8003695009, TX Local Rep: Intermountain Traffic-Mike Knaras

8019726515

In high exposure areas this product is more resistant to hits than the wood posts.

NCHRP 350

CATEGORY
ID#

Product Trade Name/ Manufacturer Contact Reference

Product Description and Manufacturer Suggested Use

Vendor Certifies Compliance With:

Revision Date

X.1 Traffic Safety

Recycled Plastic Guardrail 04-017 **Offset Block**

Anro Products, Inc.

Jared Ringwald @ 6166824518, MI

Local Rep: none

Product is an injection molded, recycled plastic and is used as an offset block between steel guardrail and wood post.

UDOT Standard Drawing BA

Weight Strip 04-034

RTM, LLC

Robert Hitch @ 8056472174, CA

Local Rep: None

Product is a weight strip to further aid barricades in holding them from moving

ADA Tactile Warning Mat 04-035

Product is a truncated dome tactile warning mat for UDOT Standard Drawing sidewalk ramps

Advance Traffic Markings

Michael Hare @ 2525336257, NC

Local Rep: Michael Hare 3345386976

TopMark 04-037

Product is a truncated dome detectable warning None

material

LKF, Inc.

Rob Mantek @ 3364757400, NC Local Rep: Laura Jensen/Flint Trading, Inc.

3364756600

CATEGORY	
ID#	

Product Trade Name/ Manufacturer Contact Reference Product Description and Manufacturer Suggested Use

Vendor Certifies Compliance With:

Revision Date

X.1 Traffic Safety

LVL Breakaway Sign & Light 05-007

Post

Hughes Brothers, Inc.

Larry Vandergriend @ 4026432991, NE

Local Rep: None

Product is a laminated beam cut to dimensions suitable for sign post signs and is a breakaway

wood post that meets critereon

ASTM D 198, NCHRP 350

Intellistrobe Flagger 05-041 Assistance Device W1-AG

> Intellistrobe Safety Systems, LLC Darrell Crowell @ 4178837720, MO

Local Rep: Intermountain Safety/Mike Knaras

8019726515

Work zone safety system.2 stand alone signals and one radio control unit.

MUTCD

Masco Cast in Tact

Product is a precast truncated dome that must conform to the ADA requirements

ASTM- C979, C39, C1028, D2847

Mason's Supply Company

Bill Naugle @ 4802262074, OR Local Rep: Kim Wooley Champion Fab. 8015661211

05-070

05-069

EJIW Detectable Warning Plate

East Jordan Iron works, Inc.

Barry Sharp @ 2315362261, MI

Local Rep: Schwaninger, East Jordan Iron Works

3032868014

Product is a precast truncated dome that must conform to the ADA requirements

M306, M105 Astm- A48 Class 35B, Federal ADAAG 1108, UDOT-02771, Part 2.5

CATEGORY ID#	Product Trade Name/ Manufacturer Contact Reference	Product Description and Manufacturer Suggested Use	Vendor Certifies Compliance With:	Revision Date
X.1 Tra	iffic Safety			
99-149	POZ LOC Socket System	Product is 2-3/8" tubular hot-dipped galvanized sign post with a reusable socket base.	UDOT 2002 Standard	7/1/2002
	P & H Tube, a Northwest Pipe Company Mike Jordan @ 800 364 5009, TX Local Rep: John E. Smith	Multidirectional system	Specification 02891and UDOT 2002 Standard Drawing SN9	
X.1 Tra	offic Safety - General			
00-131	TD 2000 Works Barricade			4/1/2001
	Three D Traffic Works, Inc. Christine Cash @ 818 841 2182, CA Local Rep: None			
01-086	T-7500 Sign Sheeting			1/1/2001
	Avery Dennison Cherie Slattery @ 847 588 7218, IL Local Rep: None			